
ZONA DE RECEPTIE
WALTMAN SUB STRUCTURA DE METAL 0.00 m
RECEPTION AREA
CLEAR HIGHT OF 0.00 m
CATEGORIA DE IMORTANTA "D" - IMPORTANCE REDUSA (HGR - 766/97)
CLASA III DE IMPORTANTA (P 100/92)
GRADUL "D" DE PERICOL DE INCENDIU (P 118/99)
GRADUL II DE REZISTENTA LA FOC (P 118/99)
CONCRETE WALL LEVEL i+4.00
200 B.A. PANA LA COTA i: 4.00
CONCRETE WALL LEVEL i+0.00
200 B.A. PANA LA COTA i: 0.00
UPPER EDGE
COTA FINITA
PARDOSEALA
ESCAPE ROUTE
IESIRE DE SALVARE
HARMANN
MULTI PURPOSE
DOOR
USA HORMANN
SECTIONAL GATE
HORMANN SPU 40
VERTICAL BRACING -
METAL PROFILES
CONTRAFOS METALICE
VERTICALE
FLEXIBLE FOUNDATION BEAM
GRINDA FLEXIBILA DE FUNDARE
BASE
PIT
DETAIL F1
DETALIU F1
DETAIL F2
DETALIU F2
DETAIL F3
DETALIU F3
SHAFT
PORTI SECTIONALE
HORMANN SPU 40
BOTTOM SLAB
SMOOTHED SURFACE
PARDOSEALA
BETON ARMAT ELICOPTERAT 20cm CONF.
ROOF SHEET
TRAPEZE SHEET 35_333_T_0.75/NONIZINZINE
Exterior: RAL9002/25MY P6
Interior: STANDARD/0.50MY P6
WALL SHEET
TRAPEZE SHEET 32_207_K_0.5/NONIZINZINE
Exterior: RAL9002/25MY P6
Interior: STANDARD/0.50MY P6
WALL OPENING PLATES
LIGHT PLATE WL_32_207_L0.5
PERETI
EXTERIOR: RAL9002/25MY P6
INTERIOR: STANDARD / 0.50MY P6
PLACI LUMINATOARE TRANSLUCIDE/WHITE WL_32_27_L/0.8
CONCRETE PLINTH
PLIN / GOL
DOORS / GATES
USI PORNIRI/INT
FOUNDATION
FUNDATIE
AXIS
INTERAX
OVERALL DIMENSION
DIMENSIUNE TOTALA


SECTION c-c
DETAIL FOUNDATION F3
1:20
SECTIUNE c-c
DETALIU F3
SCARA 1:20
DETAIL BOTTOM SLAB
1:20
1 -REINFORCED CONCRETE SLAB C 16 / 22.5 (B300)
- bottom reinforcement with: 1Q 3 - (6x200 / 6x200
- top reinforcement 1Q 3 - (6x200 / 6x200
quantity of reinforcement (including superpositions) : G = 3923 kg
2 - FOIL PVC 0.2 mm
3 - CRUSHED STONE - minimum 250 MPa minimum sickness 40 cm
4 - NATURAL SOIL
DATALIU PARDOSEALA
SCARA 1:20
1 - PARDOSEALA 20cm BETON ARMAT C 16 / 22.5 (B300)
- armare pe cu plase 1Q 3 - (6x200 / 6x200
- armare sus cu plase 1Q 3 - (6x200 / 6x200
greutate otel (include suprapuneri) G = 3923 kg
2 - FOLIE PVC 0.2 mm
3 - PATRA SPARTA COMPACTATA - minimum 250 MPa greutate minima
40 cm
4 - TEREN NATURAL
LONGITUDINAL SECTION
DETAIL PIT
1:20
SECTIUNE LONGITUDINALA
DETALIU BAZA
SCARA 1:20
SECTION a-a
DETAIL FOUNDATION F2
1:20
SECTIUNE a-a
DETALIU F2
SCARA 1:20
DETAIL FLEXIBLE
FOUNDATION BEAM F2
1:20
DETALIU GRINDA
FLEXIBILA F2
SCARA 1:20
SECTION b-b
DETAIL FOUNDATION F1
1:20
SECTIUNE b-b
DETALIU F1
SCARA 1:20
DETAIL FLEXIBLE
FOUNDATION BEAM F1
1:20
DETALIU GRINDA
FLEXIBILA F1
SCARA 1:20